



### OIML Class F2 -

For calibration of semi-analytical balances and for student use.

Class	Nominal Value	Accuracy (mg)	Material	Shape
F2	1mg	0.06	304 Stainless Steel	Flat
F2	2mg	0.06	304 Stainless Steel	Flat
F2	5mg	0.06	304 Stainless Steel	Flat
F2	10mg	0.08	304 Stainless Steel	Flat
F2	20mg	0.10	304 Stainless Steel	Flat
F2	50mg	0.12	304 Stainless Steel	Flat
F2	100mg	0.16	304 Stainless Steel	Flat
F2	200mg	0.20	304 Stainless Steel	Flat
F2	500mg	0.25	304 Stainless Steel	Flat
F2	1g	0.3	304 Stainless Steel	Cylindrical/Knob
F2	2g	0.4	304 Stainless Steel	Cylindrical/Knob
F2	5g	0.5	304 Stainless Steel	Cylindrical/Knob
F2	10g	0.6	304 Stainless Steel	Cylindrical/Knob
F2	20g	0.8	304 Stainless Steel	Cylindrical/Knob
F2	50g	1.0	304 Stainless Steel	Cylindrical/Knob
F2	100g	1.6	304 Stainless Steel	Cylindrical/Knob
F2	200g	3	304 Stainless Steel	Cylindrical/Knob
F2	500g	8	304 Stainless Steel	Cylindrical/Knob
F2	1kg	16	304 Stainless Steel	Cylindrical/Knob
F2	2kg	30	304 Stainless Steel	Cylindrical/Knob
F2	5kg	80	304 Stainless Steel	Cylindrical/Knob
F2	10kg	160	304 Stainless Steel	Cylindrical/Knob
F2	20kg	300	304 Stainless Steel	Cylindrical/Knob

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)

[VIEW >](#)