

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools					
3000 FC Digital Multimeter		Connects with:			
a3000 FC AC Current Clamp Meter		 <p>3000 FC Digital Multimeter*</p>	 <p>a3000 FC Clamp</p>	 <p>a3001 FC Clamp</p>	 <p>a3002 FC Module</p>
a3001 FC AC Current Clamp w/iFlex		 <p>a3003 FC Clamp</p>	 <p>a3004 FC Clamp</p>	 <p>v3000 FC Meter</p>	 <p>v3001 FC Meter</p>
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras	 <p>t3000 FC Meter</p>	 <p>TiX560 and TiX520</p>	 <p>Ti400, Ti300 and Ti200</p>		
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector	 <p>pc3000 FC PC Adapter/ SW3000 FC Software*</p>	 <p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>			
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					
<p>Includes: TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack</p> <p>Compatible with CNX: No</p> <p>*Requirements: 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400/300/200/TiX560 and TiX520 Infrared Cameras or with the Fluke Connect app; SW3000 FC PC Software requires the PC adapter</p>					

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter					3000 FC Digital Multimeter
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module				pc3000 FC PC Adapter/ SW3000 FC Software*	Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Includes: 2-AA batteries (installed), information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module	3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Includes: 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:						
3000 FC Digital Multimeter							
a3000 FC AC Current Clamp Meter	3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200				
a3001 FC AC Current Clamp w/iFlex			<p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>				
a3002 FC AC/DC Current Module				pc3000 FC PC Adapter/ SW3000 FC Software*			
a3003 FC 2000 A DC Current Clamp	<table border="1"> <tr> <td>i410 and i1010 clamps sold separately</td> </tr> <tr> <td>Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: SW3000 FC PC Software requires the PC adapter</td> </tr> </table>			i410 and i1010 clamps sold separately	Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack	Compatible with CNX: No	*Requirements: SW3000 FC PC Software requires the PC adapter
i410 and i1010 clamps sold separately							
Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack							
Compatible with CNX: No							
*Requirements: SW3000 FC PC Software requires the PC adapter							
a3004 FC 4-20 mA DC Clamp Meter							
v3000 FC AC Voltage Meter							
v3001 FC DC Voltage Meter							
t3000 FC Temperature Meter							
805 FC Vibration Tester							
TiX1000, TiX660 and TiX640 Infrared Cameras							
TiX560 and TiX520 Infrared Cameras							
Ti400, Ti300 and Ti200 Infrared Cameras							
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras							
Ti95 and Ti90 Infrared Cameras							
Fluke Connect™ accessories							
ir3000 FC Wireless Connector							
pc3000 FC PC Adapter							
Wireless FC SD Card							
Fluke Connect™ software							
Fluke Connect™ App - iOS							
Fluke Connect™ App - Android™							
SW3000 FC PC Software							

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter	 <p>pc3000 FC PC Adapter/ SW3000 FC Software*</p>	 <p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>	
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Connects with:



3000 FC Digital Multimeter



TiX560 and TiX520



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter/
SW3000 FC Software*



Fluke Connect™ App: iOS
(4s and later); Android™
(4.3 and up)

Includes: 1x i2000 2000A DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex		 <p>pc3000 FC PC Adapter/ SW3000 FC Software*</p>	 <p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter	<div style="border: 1px solid black; padding: 5px;"> <p>Includes: 1x i20 4-20 mA DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack</p> </div>		
v3001 FC DC Voltage Meter	<div style="border: 1px solid black; padding: 5px;"> <p>Compatible with CNX: No</p> </div>		
t3000 FC Temperature Meter	<div style="border: 1px solid black; padding: 5px;"> <p>*Requirements: SW3000 FC PC Software requires the PC adapter</p> </div>		
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Built with
FLUKE CONNECT™




©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras	<p>Includes: TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack</p>	<p>Compatible with CNX: No</p>	<p>*Requirements: SW3000 FC PC Software requires the PC adapter</p>
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter	3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200
a3001 FC AC Current Clamp w/iFlex			<p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp	<div style="border: 1px solid black; padding: 5px;"> <p>Includes: TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack</p> <p>Compatible with CNX: No</p> <p>*Requirements: SW3000 FC PC Software requires the PC adapter</p> </div>		
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Built with **FLUKE CONNECT™**





©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:					
3000 FC Digital Multimeter						
a3000 FC AC Current Clamp Meter						
a3001 FC AC Current Clamp w/iFlex						
a3002 FC AC/DC Current Module						
a3003 FC 2000 A DC Current Clamp						
a3004 FC 4-20 mA DC Clamp Meter						
v3000 FC AC Voltage Meter						
v3001 FC DC Voltage Meter						
t3000 FC Temperature Meter						
805 FC Vibration Tester						
TiX1000, TiX660 and TiX640 Infrared Cameras						
TiX560 and TiX520 Infrared Cameras						
Ti400, Ti300 and Ti200 Infrared Cameras						
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras						
Ti95 and Ti90 Infrared Cameras						
Fluke Connect™ accessories						<p>Includes: 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack</p> <p>Compatible with CNX: No</p> <p>*Requirements: SW3000 FC PC Software requires the PC adapter</p>
ir3000 FC Wireless Connector						
pc3000 FC PC Adapter						
Wireless FC SD Card			<p>Includes: 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack</p> <p>Compatible with CNX: No</p> <p>*Requirements: SW3000 FC PC Software requires the PC adapter</p>			
Fluke Connect™ software						
Fluke Connect™ App - iOS						
Fluke Connect™ App - Android™						
SW3000 FC PC Software						

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC PC Software	



Connects with:



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)

Includes: USB Cable, storage case, belt holster and two (2) AA batteries

Compatible with CNX: No

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	 
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	<p>Connects with:</p> <p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p> <p>Wireless FC SD Card</p>
Fluke Connect™ App - iOS	<p>Includes: AC power supply and battery pack charger, two battery packs for TiX1000 and TiX660; one for TiX640; SD card reader; FC SD card reader, carrying case, neck strap, hand strap and free download of SmartView® analysis and reporting software.</p> <p>Compatible with CNX: No</p>
Fluke Connect™ App - Android™	
SW3000 FC PC Software	



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC PC Software	

Connects with:

 3000 FC Digital Multimeter*	 a3000 FC Clamp	 a3001 FC Clamp	 a3002 FC Module
 a3003 FC Clamp	 a3004 FC Clamp	 v3000 FC Meter	 v3001 FC Meter
 t3000 FC Meter	 Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)		

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes

***Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 Infrared Cameras

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter	 a3000 FC Clamp				
a3001 FC AC Current Clamp w/iFlex	 a3001 FC Clamp				
a3002 FC AC/DC Current Module	 a3002 FC Module				
a3003 FC 2000 A DC Current Clamp	 a3003 FC Clamp				
a3004 FC 4-20 mA DC Clamp Meter	 a3004 FC Clamp				
v3000 FC AC Voltage Meter	 v3000 FC Meter				
v3001 FC DC Voltage Meter	 v3001 FC Meter				
t3000 FC Temperature Meter	 t3000 FC Meter				
805 FC Vibration Tester	 Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)				
TiX1000, TiX660 and TiX640 Infrared Cameras	<p>Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</p> <p>Compatible with CNX: Yes</p> <p>*Requirements: 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras</p>				
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:	
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Module		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Tester		
TiX1000, TiX660 and TiX640 Infrared Cameras		
TiX560 and TiX520 Infrared Cameras		
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Ti95 and Ti90 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software	<div style="border: 1px solid black; padding: 5px;"> <p>Includes: AC power supply and battery pack charger, two battery packs for Ti125; one for other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</p> <p>Compatible with CNX: Yes</p> </div>	
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC PC Software		

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	 Connects with:	
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter	Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)	
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Module	Wireless FC SD Card	
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter	<div style="border: 1px solid black; padding: 5px;"> <p>Includes: Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</p> <p>Compatible with CNX: No</p> </div>	
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Tester		
TiX1000, TiX660 and TiX640 Infrared Cameras		
TiX560 and TiX520 Infrared Cameras		
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Ti95 and Ti90 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC PC Software		



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:					
3000 FC Digital Multimeter				 Fluke 789 ProcessMeter™	 Fluke 289 Digital Multimeter	 Fluke 287 Digital Multimeter
a3000 FC AC Current Clamp Meter						
a3001 FC AC Current Clamp w/iFlex	 Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">287, 289 and 789 compatible</td> </tr> <tr> <td style="padding: 2px;">Includes: Instruction sheet</td> </tr> <tr> <td style="padding: 2px;">Compatible with CNX: No</td> </tr> </table>		287, 289 and 789 compatible	Includes: Instruction sheet	Compatible with CNX: No
287, 289 and 789 compatible						
Includes: Instruction sheet						
Compatible with CNX: No						
a3002 FC AC/DC Current Module						
a3003 FC 2000 A DC Current Clamp						
a3004 FC 4-20 mA DC Clamp Meter						
v3000 FC AC Voltage Meter						
v3001 FC DC Voltage Meter						
t3000 FC Temperature Meter						
805 FC Vibration Tester						
TiX1000, TiX660 and TiX640 Infrared Cameras						
TiX560 and TiX520 Infrared Cameras						
Ti400, Ti300 and Ti200 Infrared Cameras						
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras						
Ti95 and Ti90 Infrared Cameras						
Fluke Connect™ accessories						
ir3000 FC Wireless Connector						
pc3000 FC PC Adapter						
Wireless FC SD Card						
Fluke Connect™ software						
Fluke Connect™ App - iOS						
Fluke Connect™ App - Android™						
SW3000 FC PC Software						

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:						
3000 FC Digital Multimeter							
a3000 FC AC Current Clamp Meter	3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module			
a3001 FC AC Current Clamp w/iFlex							
a3002 FC AC/DC Current Module	a3003 FC Clamp	a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter			
a3003 FC 2000 A DC Current Clamp	 						
a3004 FC 4-20 mA DC Clamp Meter					t3000 FC Meter	SW3000 FC Software	
v3000 FC AC Voltage Meter	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
v3001 FC DC Voltage Meter							
t3000 FC Temperature Meter	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
805 FC Vibration Tester							
TiX1000, TiX660 and TiX640 Infrared Cameras	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
TiX560 and TiX520 Infrared Cameras							
Ti400, Ti300 and Ti200 Infrared Cameras	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras							
Ti95 and Ti90 Infrared Cameras	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
Fluke Connect™ accessories							
ir3000 FC Wireless Connector	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
pc3000 FC PC Adapter							
Wireless FC SD Card	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
Fluke Connect™ software							
Fluke Connect™ App - iOS	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							
Fluke Connect™ App - Android™							
SW3000 FC PC Software	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Includes: SW3000 FC Software and instruction sheet</td> </tr> <tr> <td>Compatible with CNX: No</td> </tr> <tr> <td>*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</td> </tr> </table>				Includes: SW3000 FC Software and instruction sheet	Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter
Includes: SW3000 FC Software and instruction sheet							
Compatible with CNX: No							
*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter							

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp		<p>Ti125, Ti110, Ti105 and Ti100 Infrared Cameras</p>	<p>Ti95 and Ti90 Infrared Cameras</p>
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter		<p>TiX1000, TiX660 and TiX640 Infrared Cameras</p>	<p>Ti95 and Ti90 Infrared Cameras</p>
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras	<p>Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)</p>	<p>Includes: Instruction sheet, manual is available on line at www.fluke.com/fcsdcard</p>	<p>Compatible with CNX: No</p>
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter	 3000 FC Digital Multimeter*	 a3000 FC Clamp	 a3001 FC Clamp	 a3002 FC Module	 a3003 FC Clamp
a3000 FC AC Current Clamp Meter					
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter	 a3004 FC Clamp	 v3000 FC Meter	 v3001 FC Meter	 t3000 FC Meter	 805FC Vibration Tester
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter	 TiX1000, TiX660 and TiX640	 TiX560 and TiX520	 Ti125, Ti110, Ti105 and Ti100	 Ti400, Ti300 and Ti200	
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	 Ti95 and Ti90	 Wireless FC SD Card	 Fluke Connect™ App: Android™ (4.3 and up)		
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App

Users with iOS phones can use the app to communicate with users with iOS or Android phones.

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter	 3000 FC Digital Multimeter*	 a3000 FC Clamp	 a3001 FC Clamp	 a3002 FC Module	 a3003 FC Clamp
a3000 FC AC Current Clamp Meter					
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter	 a3004 FC Clamp	 v3000 FC Meter	 v3001 FC Meter	 t3000 FC Meter	 805FC Vibration Tester
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter	 TiX1000, TiX660 and TiX640	 TiX560 and TiX520	 Ti125, Ti110, Ti105 and Ti100	 Ti400, Ti300 and Ti200	 Ti95 and Ti90
t3000 FC Temperature Meter					
805 FC Vibration Tester	 Wireless FC SD Card	 Fluke Connect™ App: iOS (4s and later)	<div style="border: 1px solid black; padding: 5px;"> <p>Compatible with CNX: No</p> <p>*Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App</p> <p>Users with Andoid phones can use the app to communicate with users with iOS or Android phones.</p> </div>		
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en




Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools
3000 FC Digital Multimeter
a3000 FC AC Current Clamp Meter
a3001 FC AC Current Clamp w/iFlex
a3002 FC AC/DC Current Module
a3003 FC 2000 A DC Current Clamp
a3004 FC 4-20 mA DC Clamp Meter
v3000 FC AC Voltage Meter
v3001 FC DC Voltage Meter
t3000 FC Temperature Meter
805 FC Vibration Tester
TiX1000, TiX660 and TiX640 Infrared Cameras
TiX560 and TiX520 Infrared Cameras
Ti400, Ti300 and Ti200 Infrared Cameras
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras
Ti95 and Ti90 Infrared Cameras
Fluke Connect™ accessories
ir3000 FC Wireless Connector
pc3000 FC PC Adapter
Wireless FC SD Card
Fluke Connect™ software
Fluke Connect™ App - iOS
Fluke Connect™ App - Android™
SW3000 FC PC Software



Connects with:



3000 FC Digital Multimeter*



a3000 FC Clamp



a3001 FC Clamp



a3002 FC Module



a3003 FC Clamp



a3004 FC Clamp



v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



pc3000 FC PC Adapter

Includes: pc3000 FC PC Adapter and instruction sheet

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC PC Software

Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

