




Digital ABS AOS Caliper, OD Carb. Jaws 0-150mm, Blade, Thumb Roller, Data Outp.

Item number: 500-154-30



Description

These Digimatic calipers have carbide-tipped jaws and allow you to take reliable measurements and offer you the following benefits:

- Thanks to the adoption of the electromagnetic induction type ABS encoder, this caliper can be used without concern for contamination on the scale face during measurement. Detection signal is not affected by dirt (water, oil, etc.) on surface of a scale.
- The slider provides smooth, stable and comfortable operation.
- Character height: 9 mm (alleviation of fatigue with the high-contrast LCD)
- The ABS (ABSOLUTE) scale requires no origin setting after power-on and also has no limit to response speed.
- Extraordinary battery life

Features


Range:	0 - 150 mm
Accuracy:	±0,02 mm
Depth bar:	flat
Data output:	Yes
Thumb roller:	Yes
Mass:	168 g
Digital step:	0,01 mm
Max. response speed:	Unlimited
Battery life:	approx. 18000 hours
Display:	LCD, Character Height 9 mm (150, 200 mm) 11 mm (300 mm)
Delivered:	In a case, including 1 battery
ORIGIN (ABS-Zero):	Yes
ZERO/ABS:	Yes
ON/OFF:	Yes
Low voltage alarm:	Yes
Depth bar:	Flat
Digital/Analog:	Digital
Accuracy:	±0,02 mm (excluding quantizing error)
Functions:	Carbide-tipped jaws for outside

Inch-Metric:

measurement

Metric

Dimensions



L: 233 mm

a: 40 mm

b: 21 mm

c: 16.5 mm

d: 16 mm

Accessories

Standard accessory of products:



Digimatic Cable, Straight, Data Button, 1m

959149

Suggested retail price: 41.00 €*



Digimatic Cable, Straight, Data Button, 2m

959150

Suggested retail price: 48.00 €*



Data Hold Unit

959143

Price on application



Depth Base Attachment for Caliper, 75mm width 75mm width for 100, 150, 200mm Range

050083-10


Suggested retail price: 49.00 €*



Depth Base Attachment for Caliper 100mm width for 100, 150, 200mm Range

050084-10

Suggested retail price: 54.00 €*



Depth Base Attachment for Caliper 125mm width for 300mm Range

050085-10

Suggested retail price: 61.00 €*



USB Input Tool Direct (Digimatic USB) Digi/Digi2, Straight, with Data Button

06AFM380C

Suggested retail price: 107.00 €*



U-WAVE fit, IP67 Type Wireless Transmitter for Caliper

264-620

Suggested retail price: 163.00 €*



U-WAVE fit, Buzzer Type Wireless Transmitter for Caliper

264-621



Suggested retail price: **163.00 €***



Connection Unit, U-WAVE fit
Standard Type
02AZF300

Suggested retail price: **92.00 €***

Spare parts

Consumable spare of :



Battery SR44 1.5V
938882