

## Data sheet

# IGNITE PROTON WIND



## GENERAL

Art. no.: G-1132-WS-XS/M

EAN: 4030281230922

Standard: EN 358:1999  
EN 361:2002

E-class number: 40-02-01-02

Customs no.: 63079098

## Data sheet

# IGNITE PROTON WIND

With synthetic slide plate and aluminum climbing protection eyelet, suitable for carabiner opening widths 10.5 mm and larger. The IGNITE PROTON is the evolution of our popular ARG 51 to a higher level. A safety harness with an elaborate and thought-out design with thermoformed hip padding AIRPAD and sophisticated construction leaves nothing to be desired in terms of comfort and usability. The central chest eyelet can be adapted perfectly to the user. Anatomically preformed shoulder and leg padding clings to the body and distributes the load optimally. Excess belt strap is no longer a disturbing factor due to practical belt strap coiling with fixation. The harness comes with preformed gear loops and tool eyelets for any user requirement.

Scores with comfort, colour concept and design:

- ergonomic high-tech padding AIRPAD
- colour coding to identify the main anchoring points
- tool eyelets and gear loops for every purpose

## GENERAL

Internat. standard:

ANSI Z359.11:2014, Meets CSA Z259.10-12

## FEATURES

Fall indicator

Shoulder or leg padding: yes

Belt strap coiler: yes

Hand-washing: 40 °C

Click buckles: yes

Back Pad Wear Plate: yes

Lanyard Parking-Rings: yes

Gear loop: yes

Max. service life: 6-8 Years

Max. number of persons: 1

Rated load: 140 kg

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, Frontal attachment point

Patent

Back support: yes

Temperature:

from -35 °C to +45 °C

Area of application:

Fire brigade / Rescue / Special Forces, Metal Construction, Mobile Work Platforms, Power Supplies / -Transmission / Telecommunications, Wind Energy / Offshore Industry

Tool loop: yes

## DIMENSIONS

Size:	XS/M
Waist size:	650-1150mm
Weight:	6,40 lbs

## MATERIAL

Material:	Polyester, Aluminium, Steel
Webbing material:	Polyester
Sternal attachment point material:	Aluminium
Pole strap attachment point material:	Aluminium
Dorsal attachment point material:	Aluminium
Frontal attachment point material :	Aluminium
Material Click buckle:	Stainless Steel